



# UNITED STATES PATENT AND TRADEMARK OFFICE

SW

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/034,785	12/27/2001	Lawrence J. Seigel	03237.0001U2	1344
35564	7590	03/21/2005	EXAMINER	
WEATHERLY KERVEN LLC 115 PERIMETER CENTER PLACE SUITE 1082 ATLANTA, GA 30346-5920			WACHSMAN, HAL D	
			ART UNIT	PAPER NUMBER
			2857	

DATE MAILED: 03/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

1. The reply filed on 1-5-05 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

a) Claim 64 is improper under 37 C.F.R. 1.121 because *text of the prior version of claim 64 was deleted from this claim **without the appropriate markings to show the deletion***. The prior version of claim 64 had "A. enabling a user using a client computer to remotely via a computing network access a server computer associated with the computing device" which has been deleted from the current claim 64 without the appropriate markings to show the deletion. Appropriate correction is required.

b) Claims 12-38 and 40-44 are improper under 37 C.F.R. 1.121 because each of these grouping of claims do not have the appropriate status identifier "(cancelled)" after the claim numbers. For example, the Applicant indicated "Please cancel claims 12-38" however under 37 C.F.R. 1.121 the cancellation of claims 12-38 should be indicated as "Claims 12-38 (cancelled)". Appropriate correction is required.

c) The Applicant has labeled the substitute specification as Exhibits A and B. However, as Exhibits are usually associated with the submission of affidavits such as under 37 C.F.R. 1.131 or 1.132 this has resulted in mislabeling of these Exhibits in the image file wrapper as affidavits and thus one possible way to correct this is on the cover sheets of any resubmitted substitute specification to indicate which is the clean version of the substitute specification and which is the marked-up version of the substitute specification. In addition, in various locations

Art Unit: 2857

of the substitute specification, are what appear to be typographical errors in which the space between words have been left out such as for example page 1 where it states "CROSS-REFERENCETORELATEDAPPLICATION", page 5 where it states "DETAILEDDESCRIPTION", etc. This same type of problem also occurs in the claims such as for example, claim 3, line 6, where it states "evaporatordata". Appropriate correction is required.


2. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hal D. Wachsman whose telephone number is 571-272-2225. The examiner can normally be reached on Monday to Friday 7:00 A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 571-272-2216. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2857

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Hal D Wachsman  
Primary Examiner  
Art Unit 2857

HW  
March 13, 2005